

Package: TestAnaAPP (via r-universe)

October 28, 2024

Title A 'shiny' App for Test Analysis and Visualization

Version 1.1.2

Description This application provides exploratory and confirmatory factor analysis, classical test theory, unidimensional and multidimensional item response theory, and continuous item response model analysis, through the 'shiny' interactive interface. In addition, it offers rich functionalities for visualizing and downloading results. Users can download figures, tables, and analysis reports via the interactive interface.

Depends ggplot2 (>= 3.4.3), mirt (>= 1.42), shinydashboard (>= 0.7.2), EstCRM (>= 1.6), shiny (>= 1.7.5)

License GPL (>= 3)

Encoding UTF-8

RoxygenNote 7.3.2

Imports DT (>= 0.29), golem (>= 0.4.1), officedown (>= 0.3.0), stringr (>= 1.5.0), dplyr (>= 1.1.2), bruceR (>= 2023.8.23), officer (>= 0.6.2), openxlsx (>= 4.2.5.2), rmarkdown (>= 2.24), plotrix (>= 3.8-2), cowplot (>= 1.1.1), flextable (>= 0.9.2), shinycssloaders (>= 1.0.0), tidyverse (>= 1.3.0), difR (>= 5.1), lordif (>= 0.3-3), latticeExtra (>= 0.6-30), semPlot (>= 1.1.6)

Suggests testthat (>= 3.2.1.1)

URL <https://github.com/jiangyouxiang/TestAnaAPP>

BugReports <https://github.com/jiangyouxiang/TestAnaAPP/issues>

Repository <https://jiangyouxiang.r-universe.dev>

RemoteUrl <https://github.com/jiangyouxiang/testanaapp>

RemoteRef HEAD

RemoteSha e299e9465874fd4fb7918611ae9d063559dcc09e

Contents

run_app	2
---------	---

Index**3**

run_app

By using run_app() function in 'TestAnaAPP' package without any arguments, you can perform your test analysis in a friendly interactive interface.

Description

By using `run_app()` function in 'TestAnaAPP' package without any arguments, you can perform your test analysis in a friendly interactive interface.

Usage

```
run_app()
```

Value

No explicit return value. The function is called for its side effects, which include running the interactive application.

Examples

```
if(interactive()){
  TestAnaAPP::run_app()
}
```

Index

run_app, [2](#)